(19) World Intellectual Property Organization International Bureau





(43) International Publication Date 3 August 2006 (03.08.2006)

(10) International Publication Number

(51) International Patent Classification: C12Q 1/68 (2006.01)

(21) International Application Number:

PCT/US2006/002591

(22) International Filing Date: 25 January 2006 (25.01.2006)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data: 60/647,178 25 January 2005 (25.01.2005)

(71) Applicant (for all designated States except US): ROSETTA INPHARMATICS LLC [US/US]; 401 Terry Avenue North, Seattle, Washington 98109 (US).

(72) Inventor; and


(75) Inventor/Applicant (for US only): RAYMOND, Christopher, K. [US/US]; 2626 Ne 86th Street, Seattle, Washington 98115 (US).

WO 2006/081284 A2

- QUINTON, Tineka, J.; CHRISTENSEN (74) Agent: O'CONNOR JOHNSON KINDNESS PLLC, 1420 Fifth Avenue, Suite 2800, Seattle, Washington 98101 (US).
- (81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.
- (84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT,

[Continued on next page]

(54) Title: METHODS FOR QUANTITATING SMALL RNA MOLECULES



(57) Abstract: In one aspect, the present invention provides amplifying methods for microRNA molecule to produce DNA molecules. The methods each include the steps (a) using primer extension to make a DNA molecule that is complementary to a target microRNA molecule; and (b) using a universal forward primer and a reverse primer to amplify the DNA molecule to produce amplified DNA molecules. In some embodiments of the method, at least one of the forward primer and the reverse primer comprise at least onelocked nucleic acid molecule.

WO 2006/081284 A2



RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

 without international search report and to be republished upon receipt of that report For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.